

SAFETY DATA SHEET Denso Profiling Mastic (NA)

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

1. Identification

Product identifier

Product name Denso Profiling Mastic (NA)

Product number 300001C

Recommended use of the chemical and restrictions on use

Restriction on use Sealant.

Uses advised against No specific uses advised against are identified.

Details of the supplier of the safety data sheet

Supplier Denso North America Inc.

90 Ironside Crescent, Unit 12 Toronto, ON, Canada, M1X1M3

+1-416-291-3435 Tel +1-416-291-0898 Fax sales@densona-ca.com

Emergency telephone number

Emergency telephone 1-888-226-8832 Canutec Toll Free, *666 Cellular

2. Hazard identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards

Label elements

Hazard statements NC Not Classified

Other hazards

This product does not contain any substances classified as PBT or vPvB.

Not Classified

3. Composition/information on ingredients

Mixtures

Proprietary Filler A 30-60%

CAS number: Proprietary

Classification

Not Classified

Denso Profiling Mastic (NA)

Proprietary Hydrocarbon B 5-10%

CAS number: Proprietary

Classification
Asp. Tox. 1 - H304

The full text for all hazard statements is displayed in Section 16.

Composition comments The exact percentage/concentration is withheld as a trade secret in accordance with the

Regulations amending the Hazardous Products Regulations.

4. First-aid measures

Description of first aid measures

General information Get medical advice/attention if you feel unwell. If in doubt, get medical attention promptly.

Show this Safety Data Sheet to the medical personnel.

Inhalation No specific recommendations. Unlikely to be hazardous by inhalation because of the low

vapour pressure of the product at ambient temperature. If throat irritation or coughing persists, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Maintain an open airway. Get medical attention if any discomfort continues. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious

person on their side in the recovery position and ensure breathing can take place.

Ingestion No specific recommendations. Due to the physical nature of this product, it is unlikely that

ingestion will occur. May cause suffocation. If throat irritation or coughing persists, proceed as follows. Rinse mouth. Get medical attention if any discomfort continues. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an

unconscious person.

Skin contact No specific recommendations. Wash skin thoroughly with soap and water. Do not use organic

solvents. Get medical attention if any discomfort continues.

Eye contact Due to the physical nature of this product, exposure by this route is unlikely. Remove any

contact lenses and open eyelids wide apart. Rinse with water. Continue to rinse for at least 10

minutes. Get medical attention if any discomfort continues.

Protection of first aiders No specific requirements are anticipated under normal conditions of use. Use protective

equipment appropriate for surrounding materials. First aid personnel should wear appropriate

protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation No specific symptoms known.

Ingestion No specific symptoms known. May cause discomfort if swallowed. May cause suffocation.

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact No specific symptoms known. May be slightly irritating to eyes.

Indication of any immediate medical attention and special treatment needed

Specific treatments No special treatment required.

Denso Profiling Mastic (NA)

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the hazardous product

Specific hazards

None known.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Hydrocarbons. Carbon monoxide (CO). Carbon dioxide (CO2).

Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing that provides a basic level of protection during chemical incidents is defined by the Canada Occupational Health and Safety Regulations, by provincial guidelines on occupational health and safety or by NFPA standards if applicable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

No specific recommendations. For personal protection, see Section 8. No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Do not touch or walk into spilled material. Take care as floors and other surfaces may become slippery. Follow precautions for safe handling described in this safety data sheet. Ensure procedures and training for emergency decontamination and disposal are in place.

Environmental precautions

Environmental precautions

Insoluble in water. Aquatic toxicity is unlikely to occur. Collect and dispose of spillage as indicated in Section 13.

Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Reuse or recycle products wherever possible. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations. For waste disposal, see Section 13.

Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

7. Handling and storage

Precautions for safe handling

Denso Profiling Mastic (NA)

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in

Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Do not handle until all safety precautions have

been read and understood.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Change work clothing daily before leaving workplace.

Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Keep only in the original container in a cool, well-ventilated place.

Storage class Unspecified storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

Proprietary Filler A

Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ respirable fraction Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ respirable fraction Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ respirable fraction Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m³ respirable fraction

A4, A4, A4, A4

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

Ingredient comments Due to the physical nature of this product, exposure by this route is unlikely. No dust formed

during normal use.

Exposure controls

Protective equipment



Appropriate engineering

controls

Provide adequate ventilation. Good general ventilation should be adequate to control worker

exposure to airborne contaminants.

Eye/face protection

No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.6), and any relevant provincial regulation relating to health and safety at work.

Denso Profiling Mastic (NA)

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.9), and any relevant provincial regulation relating to health and safety at work. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body

protection

Appropriate footwear and additional protective clothing complying with an approved standard

should be worn if a risk assessment indicates skin contamination is possible.

Hygiene measures Good personal hygiene procedures should be implemented. Contaminated work clothing

should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Wash after use and before eating, smoking and

using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection Respiratory protection complying with an approved standard should be worn if a risk

assessment indicates inhalation of contaminants is possible. Provide adequate ventilation. If

ventilation is inadequate, suitable respiratory protection must be worn.

Environmental exposure

controls

Vapour density

Viscosity

Not regarded as dangerous for the environment.

9. Physical and chemical properties

Information on basic physical and chemical properties

AppearanceSoft. Solid.ColourBrownish.OdourOdourless.

Odour threshold Not available.

pH Scientifically unjustified. Highly insoluble in water.

Not relevant.

Not determined.

Melting point Not determined. 80°C

Initial boiling point and rangeNot relevant.Flash pointNot relevant.Evaporation rateNot relevant.Evaporation factorNot relevant.Flammability (solid, gas)Not available.Vapour pressureNot relevant.

Relative density 0.6 (Water = 1 @ 20 C)

Solubility(ies)
Insoluble in water.

Partition coefficient
Not determined.

Auto-ignition temperature
Not available.

Denso Profiling Mastic (NA)

Explosive properties Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidizing.

10. Stability and reactivity

Reactivity Stable at normal ambient temperatures and when used as recommended.

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Possibility of hazardous

reactions

No potentially hazardous reactions known.

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation. Avoid the

following conditions: Heat, sparks, flames.

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

11. Toxicological information

Information on toxicological effects

Toxicological effects Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LD50) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitization

Respiratory sensitizationBased on available data the classification criteria are not met.

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicityNone of the ingredients are listed or exempt.

Reproductive toxicity

Denso Profiling Mastic (NA)

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure
Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

General information No specific health hazards known. The severity of the symptoms described will vary

dependent on the concentration and the length of exposure.

Inhalation No specific symptoms known.

Ingestion No specific symptoms known. May cause discomfort if swallowed. May cause suffocation.

Skin contact Prolonged contact may cause dryness of the skin.

Eye contact No specific symptoms known. May be slightly irritating to eyes.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

12. Ecological information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have

hazardous effects on the environment.

Toxicity Based on available data the classification criteria are not met.

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

Mobility in soil

Mobility The product is insoluble in water.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

Denso Profiling Mastic (NA)

General information

The generation of waste should be minimized or avoided wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Reuse or recycle products wherever possible.

Disposal methods

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, TDG).

UN number

UN No. (International) Not applicable.

UN No. (DOT) Not applicable.

UN proper shipping name

Proper shipping name

(International)

Not applicable.

Proper shipping name (DOT) Not applicable.

Transport hazard class(es)

Transport Labels

(International)

No transport warning sign required.

DOT transport label

Packing group

Packing group (International) Not applicable.

DOT packing group Not applicable.

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

Not applicable.

DOT reportable quantity Not applicable.

DOT TIH Zone Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Denso Profiling Mastic (NA)

Inventories

Canada - DSL/NDSL

The following ingredients are listed or exempt:

Proprietary Filler A

Proprietary Hydrocarbon B

Proprietary Hydrocarbon A

Proprietary Solvent A

16. Other information

Training advice Only trained personnel should use this material.

Issued by HS&E Manager.

Revision date 2021-01-01

Revision 2

Supersedes date 2020-02-10

SDS number 5344

Hazard statements in full H304 May be fatal if swallowed and enters airways.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.